REGULATION III - CONTROL OF AIR CONTAMINANTS

RULE 370 FEDERAL HAZARDOUS AIR POLLUTANT PROGRAM

INDEX

SECTION 100 - GENERAL

101	PURPOSE
102	APPLICABILITY
103	AVAILABILITY OF INFORMATION
104	FEDERAL DELEGATION AUTHORITY

SECTION 200 - DEFINITIONS

,	ION 20	0 - DEFINITIONS
	201	ADMINISTRATOR
	202	AMENDED WATER
	203	EXISTING SOURCE
	204	FEDERALLY LISTED HAZARDOUS AIR POLLUTANT
	205	GOVERNMENT-ISSUED PHOTO IDENTIFICATION CARD
	206	HAZARDOUS AIR POLLUTANT
	207	MAJOR SOURCE
	208	MODIFICATION
	209	NESHAP
	210	NEW SOURCE
	211	STATIONARY SOURCE

SECTION 300 - STANDARDS

301	STANDARDS OF PERFORMANCE FOR FEDERALLY LISTED HAZARDOUS AIR POLLUTANTS
302	STANDARDS OF PERFORMANCE FOR FEDERALLY LISTED HAZARDOUS AIR POLLUTANTS FOR SOURCE CATEGORIES
303	ADDITIONAL REQUIREMENTS

SECTION 400 - ADMINISTRATIVE REQUIREMENTS

- 401 CONTROL TECHNOLOGY DETERMINATIONS FOR MAJOR SOURCES IN ACCORDANCE WITH CLEAN AIR ACT SECTIONS, SECTIONS 112(g) and 112(j)
- 402 COMPLIANCE EXTENSIONS FOR EARLY REDUCTION OF FEDERALLY LISTED HAZARDOUS AIR POLLUTANTS

SECTION 500 - MONITORING AND RECORDS (NOT INCLUDED)

Revised 07/13/88
Revised 04/06/92
Repealed and Adopted 11/15/93
Revised 11/20/96
Revised 05/14/97
Revised 05/20/98
Revised 08/19/98
Revised 03/01/00
Revised 03/07/01
Revised 11/19/03
Revised 03/15/06

MARICOPA COUNTY AIR POLLUTION CONTROL REGULATIONS

REGULATION III - CONTROL OF AIR CONTAMINANTS

RULE 370 FEDERAL HAZARDOUS AIR POLLUTANT PROGRAM

SECTION 100 - GENERAL

- **PURPOSE:** To establish emission standards for federally listed hazardous air pollutants.
- APPLICABILITY: The provisions of this rule apply to the owner or operator of any stationary source for which a standard is prescribed under this rule, and for which federal delegation of the implementation and enforcement of the standards to Maricopa County has been accomplished. Any such stationary source must also comply with other Maricopa County Air Pollution Control Regulations.
- **AVAILABILITY OF INFORMATION:** Copies of all 40 C.F.R., Part 61 and Part 63 revisions currently enforced by Maricopa County are available at 1001 N. Central Avenue, Suite 695, Phoenix, Arizona, 85004, or by calling (602) 506-6010 for information.
- 104 FEDERAL DELEGATION AUTHORITY: Maricopa County shall enforce the national emission standards for hazardous air pollutants (40 C.F.R. Part 61 and Part 63 (2004)) (NESHAPs) listed in Section 300 of this rule which have heretofore been delegated to the County by the United States Environmental Protection Agency (EPA) for such enforcement. Maricopa County may in addition enforce such other NESHAPs as may be delegated by the EPA to the County from time to time.

- **SECTION 200 DEFINITIONS:** For the purpose of this rule, the following definitions shall apply:
 - ADMINISTRATOR As used in Parts 61 and 63, Title 40, Code of Federal Regulations, shall mean the Control Officer, except that the Control Officer shall not be empowered to approve alternate or equivalent test methods, alternative standards/work practices, or other nondelegable authorities such as those listed in 40 CFR 61.04(c)(9) and 40 CFR 63.91(g)(2)(i), except as specifically provided in each subpart.
 - **AMENDED WATER -** water to which surfactant (wetting agent) has been added to increase the ability of the liquid to penetrate asbestos containing material (ACM).
 - **EXISTING SOURCE -** Any stationary source other than a new source.
 - **FEDERALLY LISTED HAZARDOUS AIR POLLUTANT -** Any air pollutant listed pursuant to Section 112(b) of the Act.
 - **205 GOVERNMENT-ISSUED PHOTO IDENTIFICATION CARD** includes, but is not limited to, a valid driver's license, a valid nonoperating identification license, a valid tribal enrollment card or tribal identification card, or other valid government issued photo identification, that includes the name, address, and photograph of the card holder.
 - **206 HAZARDOUS AIR POLLUTANT -** Any air pollutant regulated under Section 112 of the Act, any air pollutant subject to NESHAP, or any air pollutant designated by the Director as a hazardous air pollutant pursuant to ARS §49-426.04.
 - 207 MAJOR SOURCE A stationary source or group of stationary sources located within a contiguous area, and under common control, and that emits or has the potential to emit considering controls, in the aggregate, 10 tons per year or more of any federally listed hazardous air pollutant or 25 tons per year or more of any combination of federally listed hazardous air pollutants. A lesser quantity or, in the case of radionuclides, a different criteria may be established by the Administrator pursuant to Section 112 of the Act and may be adopted by the Board of Supervisors by rule.
 - **MODIFICATION -** Any physical change in, or change in the method of operation of, a major source which increases the actual emissions of any federally listed hazardous air pollutant emitted by such source by more than a de minimis amount, or which results in the emission of any federally listed hazardous air pollutant, not previously emitted by more than a de minimis amount.
 - **NESHAP -** National emission standards for hazardous air pollutants pursuant to 40 C.F.R. Part 61 and Part 63 (2004).

- **NEW SOURCE** A stationary source, the construction or reconstruction of which commences after the Administrator first proposes regulations under Section 112 of the Act establishing an emission standard applicable to such source.
- **STATIONARY SOURCE -** Any building, structure, facility, or installation which emits or may emit any air pollutant.

SECTION 300 - STANDARDS

- 301 STANDARDS OF PERFORMANCE FOR FEDERALLY LISTED HAZARDOUS AIR POLLUTANTS: The federally listed hazardous air pollutants as listed in Table I and NESHAPs adopted as of July 1, 2004, as listed below and as which can be found at 40 C.F.R. 61.01 through 61.358, and all accompanying appendices, are incorporated herein by reference with the listed exclusions and additions and shall be applied by the Control Officer. This incorporation by reference includes no future editions or amendments. Each owner or operator subject to the requirements of the following subparts shall comply with the requirements of those subparts and the additional requirements set forth herein. Incorporation by reference does not include nondelegable functions of the EPA Administrator.
 - **SUBPART A General Provisions**; exclude any sections dealing with equivalency determinations that are nontransferable through Section 112(e)(3) of the Act.
 - 301.2 SUBPART C National Emission Standard for Beryllium.
 - 301.3 SUBPART D National Emission Standard for Beryllium Rocket Motor Firing.
 - 301.4 SUBPART E National Emission Standard for Mercury.
 - 301.5 SUBPART F National Emission Standard for Vinyl Chloride.
 - 301.6 SUBPART J National Emission Standard for Equipment Leaks (Fugitive Emission Sources) of Benzene.
 - 301.7 SUBPART L National Emission Standard for Benzene Emissions from Coke By-Product Recovery Plants.
 - 301.8 SUBPART M National Emission Standard for Asbestos.
 - **a.** Each owner or operator of a demolition activity or renovation activity involving a facility as defined in 40 C.F.R. 61, Subpart M shall:
 - (1) Fully comply with all requirements of 40 C.F.R. 61, Subpart M.

- (2) Provide the Control Officer with written notification of intention to demolish or to renovate in the manner described in 40 CFR 61.145.
- (3) Update all notifications in accordance with 40 CFR 61.145(b). For renovations described in 40 CFR 61.145(a)(4)(iii), notifications shall expire every December 31, with new notices required at least 10 working days before the end of the calendar year preceding the year for which notice is being given. All other notifications shall expire one year from either the original postmark date, commercial delivery date or date of hand delivery to the Control Officer. For a demolition activity or renovation activity that continues beyond the expiration date, the owner or operator of the demolition or renovation activity shall notify the Control Officer in accordance with 40 CFR 61.145(b) at least 10 working days prior to the expiration of the original notice and pay all applicable fees prescribed by Rule 280 of these rules.
- (4) Thoroughly inspect the facility within 12 months of commencement of demolition or renovation activity. Include the date of this inspection on the written notification.
- (5) Pay all applicable fees prescribed by Rule 280 of these rules.
- **b.** In addition, each owner or operator of a demolition activity or renovation activity shall comply with the following requirements:
 - (1) Certification, training, and record keeping requirements:
 - (a) All facilities scheduled for demolition or renovation shall be inspected by a currently certified Asbestos Hazard Emergency Response Act (AHERA) accredited asbestos building inspector (herein referenced as inspector), as required by either AHERA or the Asbestos School Hazard Abatement Reauthorization Act (ASHARA).
 - (b) Each owner and operator of a facility shall maintain a copy of any reports of inspections made for a facility for two years, including laboratory test results of samples collected. A copy of the inspection reports and laboratory test results shall be on-site and available for inspection at the facility, upon request of the Department, during asbestos setup, removal, handling, collecting, containerizing, cleanup and dismantling.

- (c) All asbestos workers shall maintain current AHERA worker certification. All asbestos contractor/supervisors shall maintain current AHERA/ASHARA contractor/supervisor certification and shall be on-site at all times during any active asbestos abatement work at or above NESHAP threshold amounts. A legible copy of all asbestos workers and contractor/supervisor's current training certificates from an EPA accredited training provider shall be available for inspection at all times at the demolition or renovation site.
- (d) All asbestos workers and contractor/supervisors shall have color photo identification on-site and available for inspection, upon request of the Department, at all times during asbestos setup, removal, handling, collecting, containerizing, cleanup and dismantling. The color photo identification shall be from an EPA accredited training provider verifying the certification requirements in section (b)(1)(c), or a current government-issued photo identification card.
- (2) Asbestos renovation and demolition standards:
 - (a) A facility owner or operator shall not create visible dust emissions when removing or transporting to the disposal site Category I nonfriable asbestos containing material (ACM) and Category II nonfriable ACM that remain nonfriable Category I ACM and nonfriable Category II ACM.
 - (b) Inspection viewing devices at facilities are required at all asbestos renovation projects where regulated asbestos containing material (RACM) is being abated, except for roofing projects involving Category I nonfriable ACM and Category II nonfriable ACM exclusively. Viewing devices shall be so designed as to allow an inspector to view the facility from the outside, either through ports or by video monitoring.
 - (c) All exposed RACM subject to cutting or dismantling operations and all RACM being removed from a facility or a facility component shall be kept adequately wet by using amended water to control the release of asbestos fibers, except as exempted under 40 CFR 61.145(c)(3)(i)(A), 40 CFR 61.145(c)(3)(ii) and/or 40 CFR 61.145(c)(7)(i). To

claim these exemptions, the owner or operator shall follow the requirements of 40 CFR 61.145(c)(3)(i)(B), 40 CFR 61.145(c)(3)(iii) and/or 61.145(c)(7)(ii) and (iii). The use of amended water will not be required in the case of an ordered demolition, as defined in 40 CFR 61.145(a)(3), where the debris is suspected to contain or is known to contain ACM , however ordered demolitions are subject to 40 CFR 61.145(c)(9).

- (d) All RACM shall be contained in transparent, leak-tight wrapping and shall remain adequately wet to prevent dust emissions during removal, transport, storage, and proper landfill disposal following local, county, state, and federal regulations. Affix a visible and legible label to each individual wrapping with the name of the site owner or operator and the name and address of the location that generated the RACM.
- 301.9 SUBPART N National Emission Standard for Inorganic Arsenic Emissions From Glass Manufacturing Plants.
- 301.10 SUBPART O National Emission Standard for Inorganic Arsenic Emissions From Primary Copper Smelters.
- 301.11 SUBPART P National Emission Standard for Inorganic Arsenic Emissions From Arsenic Trioxide and Metallic Arsenic Production Facilities.
- 301.12 SUBPART V National Emission Standard for Equipment Leaks (Fugitive Emission Sources).
- 301.13 SUBPART Y National Emission Standard for Benzene Emissions From Benzene Storage Vessels.
- 301.14 SUBPART BB National Emission Standard for Benzene Emissions From Benzene Transfer Operations.
- 301.15 Subpart FF National Emission Standard for Benzene Waste Operations.
- 302 STANDARDS OF PERFORMANCE FOR FEDERALLY LISTED HAZARDOUS AIR POLLUTANTS FOR SOURCE CATEGORIES: The federally listed hazardous air pollutants as listed in Table I and NESHAPs adopted as of July 1, 2004, or the specific date provided below, as listed below and as which can be found at 40 C.F.R. 63, and all accompanying appendices, are incorporated herein by reference with the listed exclusions and additions and shall be applied by the Control Officer.

This incorporation by reference includes no future editions or amendments. Each owner or operator subject to the requirements of the following subparts shall comply with the requirements of those subparts and the additional requirements set forth herein. Incorporation by reference does not include nondelegable functions of the EPA Administrator.

302.1 **SUBPART A - General Provisions** 302.2 SUBPART B - Requirements for Control Technology **Determinations for Major Sources in Accordance With Clean Air** Act Sections, Sections 112(g) and 112(j) 302.3 SUBPART C - List of Hazardous Air Pollutants, Petitions Process, Lesser Quantity Designations, Source Category List, includes amendments adopted as of November 29, 2004 302.4 SUBPART D - Regulations Governing Compliance Extensions for **Early Reductions of Hazardous Air Pollutants** 302.5 SUBPART F - National Emission Standards for Organic Hazardous Air Pollutants From the Synthetic Organic Chemical Manufacturing Industry 302.6 SUBPART G - National Emission Standards for Organic Hazardous Air Pollutants From the Synthetic Organic Chemical Manufacturing Industry for Process Vents, Storage Vessels, Transfer Operations, and Wastewater 302.7 SUBPART H - National Emission Standards for Organic **Hazardous Air Pollutants for Equipment Leaks** 302.8 SUBPART I - National Emission Standards for Organic Hazardous Air Pollutants for Certain Processes Subject to the **Negotiated Regulation for Equipment Leaks** 302.9 SUBPART J - National Emission Standards for Hazardous Air Pollutants for Polyvinyl Chloride and Copolymers Production SUBPART L - National Emission Standards for Coke Oven 302.10 **Batteries** 302.11 **SUBPART M - National Perchloroethylene Air Emission** Standards for Dry Cleaning Facilities 302.12 SUBPART N - National Emission Standards for Chromium **Emissions From Hard and Decorative Chromium Electroplating** and Chromium Anodizing Tanks

302.13	SUBPART O - Ethylene Oxide Emissions Standards for Sterilization Facilities
302.14	SUBPART Q - National Emission Standards for Hazardous Air Pollutants for Industrial Process Cooling Towers
302.15	SUBPART R - National Emission Standards for Gasoline Distribution Facilities (Bulk Gasoline Terminals and Pipeline Breakout Stations)
302.16	SUBPART S – National Emission Standards for Hazardous Air Pollutants from the Pulp and Paper Industry
302.17	SUBPART T - National Emission Standards for Halogenated Solvent Cleaning
302.18	SUBPART U - National Emission Standards for Hazardous Air Pollutant Emissions: Group I Polymers and Resins
302.19	SUBPART W - National Emission Standards for Hazardous Air Pollutants for Epoxy Resins Production and Non-Nylon Polyamides Production
302.20	SUBPART X - National Emission Standards for Hazardous Air Pollutants from Secondary Lead Smelting
302.21	SUBPART AA – National Emission Standards for Hazardous Air Pollutants From Phosphoric Acid Manufacturing Plants
302.22	SUBPART BB - National Emission Standards for Hazardous Air Pollutants From Phosphate Fertilizers Production Plants
302.23	SUBPART CC - National Emission Standards for Hazardous Air Pollutants From Petroleum Refineries
302.24	SUBPART DD - National Emission Standards for Hazardous Air Pollutants from Off-Site Waste and Recovery Operations
302.25	SUBPART EE - National Emission Standards for Magnetic Tape Manufacturing Operations
302.26	SUBPART GG - National Emission Standards for Aerospace Manufacturing and Rework Facilities
302.27	SUBPART HH - National Emission Standards for Hazardous Air Pollutants From Oil and Natural Gas Production Facilities

	Manufacturing Operations
302.29	SUBPART KK - National Emission Standards for the Printing and Publishing Industry
302.30	SUBPART MM – National Emission Standards for Hazardous Air Pollutants for Chemical Recovery Combustion Sources at Kraft, Soda, Sulfite, and Stand-Alone Semichemical Pulp Mills
302.31	SUBPART OO - National Emission Standards for Tanks - Level 1
302.32	SUBPART PP - National Emission Standards for Containers
302.33	SUBPART QQ - National Emission Standards for Surface Impoundments
302.34	SUBPART RR - National Emission Standards for Individual Drain Systems
302.35	SUBPART SS – National Emission Standards for Closed Vent Systems, Control Devices, Recovery Devices and Routing to a Fuel Gas System or a Process
302.36	SUBPART TT – National Emission Standards for Equipment Leaks – Control Level 1
302.37	SUBPART UU – National Emission Standards for Equipment Leaks – Control Level 2 Standards
302.38	SUBPART VV - National Emission Standards for Oil-Water Separators and Organic-Water Separators
302.39	SUBPART WW – National Emission Standards for Storage Vessels (Tanks) – Control Level 2
302.40	SUBPART XX - National Emission Standards for Ethylene Manufacturing Process Units: Heat Exchange Systems and Waste Operations
302.41	SUBPART YY - National Emission Standards for Hazardous Air Pollutants for Source Categories: Generic Maximum Achievable Control Technology Standards
302.42	SUBPART CCC - National Emission Standards for Hazardous Air Pollutants for Steel Pickling – HCl Process Facilities and Hydrochloric Acid Regeneration Plants

302.28 SUBPART JJ - National Emission Standards for Wood Furniture

302.43	SUBPART DDD - National Emission Standards for Hazardous Air Pollutants for Mineral Wool Production
302.44	SUBPART EEE - National Emission Standards for Hazardous Air Pollutants from Hazardous Waste Combustors
302.45	SUBPART GGG - National Emission Standards for Pharmaceuticals Production
302.46	SUBPART HHH - National Emission Standards for Hazardous Air Pollutants From Natural Gas Transmission and Storage Facilities
302.47	SUBPART III - National Emission Standards for Hazardous Air Pollutants for Flexible Polyurethane Foam Production
302.48	SUBPART JJJ - National Emission Standards for Hazardous Air Pollutant Emissions: Group IV Polymers and Resins
302.49	SUBPART LLL - National Emission Standards for Hazardous Air Pollutants From the Portland Cement Manufacturing Industry
302.50	SUBPART MMM - National Emission Standards for Hazardous Air Pollutants for Pesticide Active Ingredient Production
302.51	SUBPART NNN - National Emission Standards for Hazardous Air Pollutants for Wool Fiberglass Manufacturing
302.52	SUBPART OOO – National Emission Standards for Hazardous Air Pollutant Emissions: Manufacture of Amino/Phenolic Resins.
302.53	SUBPART PPP - National Emission Standards for Hazardous Air Pollutant Emissions for Polyether Polyols Production
302.54	SUBPART QQQ - National Emission Standards for Hazardous Air Pollutants for Primary Copper Smelting
302.55	SUBPART RRR – National Emission Standards for Hazardous Air Pollutants for Secondary Aluminum Production
302.56	SUBPART TTT - National Emission Standards for Hazardous Air Pollutants for Primary Lead Smelting
302.57	SUBPART UUU – National Emission Standards for Hazardous Air Pollutants for Petroleum Refineries: Catalytic Cracking Units Catalytic Reforming Units and Sulfur Recovery Units

302.58	SUBPART VVV – National Emission Standards for Hazardous Air Pollutants: Publicly Owned Treatment Works
302.59	SUBPART XXX - National Emission Standards for Hazardous Air Pollutants for Ferroalloys Production: Ferromanganese and Silicomanganese
302.60	SUBPART AAAA – National Emission Standards for Hazardous Air Pollutants: Municipal Solid Waste Landfills
302.61	SUBPART CCCC - National Emission Standards for Hazardous Air Pollutants: Manufacturing of Nutritional Yeast
302.62	SUBPART EEEE - National Emission Standards for Hazardous Air Pollutants: Organic Liquids Distribution (Non-Gasoline)
302.63	SUBPART FFFF - National Emission Standards for Hazardous Air Pollutants: Miscellaneous Organic Chemical Manufacturing
302.64	SUBPART GGGG – National Emission Standards for Hazardous Air Pollutants: Solvent Extraction for Vegetable Oil Production
302.65	SUBPART HHHH – National Emission Standards for Hazardous Air Pollutants for Wet-formed Fiberglass Mat Production
302.66	SUBPART IIII - National Emission Standards for Hazardous Air Pollutants: Surface Coating of Automobiles and Light-Duty Trucks
302.67	SUBPART JJJJ - National Emission Standards for Hazardous Air Pollutants: Paper and Other Web Coating
302.68	SUBPART KKKK - National Emission Standards for Hazardous Air Pollutants: Surface Coating of Metal Cans
302.69	SUBPART MMMM - National Emission Standards for Hazardous Air Pollutants for Surface Coating of Miscellaneous Metal Parts and Products
302.70	SUBPART NNNN - National Emission Standards for Hazardous Air Pollutants: Surface Coating of Large Appliances
302.71	SUBPART 0000 - National Emission Standards for Hazardous Air Pollutants: Printing, Coating, and Dyeing of Fabrics and Other Textiles
302.72	SUBPART PPPP - National Emission Standards for Hazardous Air Pollutants for Surface Coating of Plastic Parts and Products

302.73	SUBPART QQQQ - National Emission Standards for Hazardous Air Pollutants: Surface Coating of Wood Building Products
302.74	SUBPART RRRR - National Emission Standards for Hazardous Air Pollutants: Surface Coating of Metal Furniture
302.75	SUBPART SSSS – National Emission Standards for Hazardous Air Pollutants: Surface Coating of Metal Coil
302.76	SUBPART TTTT – National Emission Standards for Hazardous Air Pollutants for Leather Finishing Operations
302.77	SUBPART UUUU – National Emission Standards for Hazardous Air Pollutants for Cellulose Products Manufacturing
302.78	SUBPART VVVV - National Emission Standards for Hazardous Air Pollutants for Boat Manufacturing
302.79	SUBPART WWWW - National Emission Standards for Hazardous Air Pollutants: Reinforced Plastic Composites Production
302.80	SUBPART XXXX - National Emission Standards for Hazardous Air Pollutants: Rubber Tire Manufacturing
302.81	SUBPART YYYY - National Emission Standards for Hazardous Air Pollutants for Stationary Combustion Turbines
302.82	SUBPART ZZZZ - National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines
302.83	SUBPART AAAAA - National Emission Standards for Hazardous Air Pollutants for Lime Manufacturing Plants
302.84	SUBPART BBBBB - National Emission Standards for Hazardous Air Pollutants for Semiconductor Manufacturing
302.85	SUBPART CCCCC - National Emission Standards for Hazardous Air Pollutants for Coke Ovens: Pushing, Quenching, and Battery Stacks
302.86	SUBPART EEEEE - National Emission Standards for Hazardous Air Pollutants for Iron and Steel Foundries

302.87	SUBPART FFFFF - National Emission Standards for Hazardous Air Pollutants for Integrated Iron and Steel Manufacturing Facilities
302.88	SUBPART GGGGG - National Emission Standards for Hazardous Air Pollutants: Site Remediation
302.89	SUBPART HHHHH - National Emission Standards for Hazardous Air Pollutants: Miscellaneous Coating Manufacturing
302.90	SUBPART IIIII - National Emission Standards for Hazardous Air Pollutants: Mercury Emissions From Mercury Cell Chlor-Alkali Plants
302.91	SUBPART JJJJJ - National Emission Standards for Hazardous Air Pollutants for Brick and Structural Clay Products Manufacturing
302.92	SUBPART KKKKK - National Emission Standards for Hazardous Air Pollutants for Clay Ceramics Manufacturing
302.93	SUBPART LLLLL - National Emission Standards for Hazardous Air Pollutants: Asphalt Processing and Asphalt Roofing Manufacturing
302.94	SUBPART MMMMM - National Emission Standards for Hazardous Air Pollutants: Flexible Polyurethane Foam Fabrication Operations
302.95	SUBPART NNNNN - National Emission Standards for Hazardous Air Pollutants: Hydrochloric Acid Production
302.96	SUBPART PPPPP - National Emission Standards for Hazardous Air Pollutants for Engine Test Cells/Stands
302.97	SUBPART QQQQQ - National Emission Standards for Hazardous Air Pollutants for Friction Materials Manufacturing Facilities
302.98	SUBPART RRRRR - National Emission Standards for Hazardous Air Pollutants: Taconite Iron Ore Processing
302.99	SUBPART SSSSS - National Emission Standards for Hazardous Air Pollutants for Refractory Products Manufacturing
302.100	SUBPART TTTTT - National Emission Standards for Hazardous Air Pollutants for Primary Magnesium Refining

303 ADDITIONAL REQUIREMENTS:

- From the general standards identified in Section 301 of this rule, delete 40 C.F.R. 61.04. All requests, reports, applications, submittals, and other communications to the Control Officer pursuant to this Rule shall be submitted to the Maricopa County Air Quality Department, 1001 North Central Avenue, Suite 400, Phoenix, Arizona, 85004.
- Where the Act has established provisions, including specific schedules, for the regulation of source categories pursuant to Section 112(e)(5) and 112(n) of the Act, the Control Officer may enforce those provisions.
- For any category or subcategory of sources licensed by the U.S. Nuclear Regulatory Commission, the Board of Supervisors shall not adopt and the Control Officer shall not enforce any standard or limitation respecting emissions of radionuclides which is more stringent than the standard or limitation adopted by the Administrator pursuant to Section 112 of the Act.
- 303.4 If the Administrator finds by rule that regulation is not appropriate or necessary or that alternative control strategies should be applied, the Control Officer shall administer and enforce this rule based on the Administrator's findings.

SECTION 400 - ADMINISTRATIVE REQUIREMENTS

- 401 CONTROL TECHNOLOGY DETERMINATIONS FOR MAJOR SOURCES IN ACCORDANCE WITH CLEAN AIR ACT SECTIONS, SECTIONS 112(g) AND 112(j): 40 C.F.R. 63.40-44 and 40 C.F.R. 63.50-56 are adopted by reference.
- **402** COMPLIANCE EXTENSIONS FOR EARLY REDUCTION OF FEDERALLY LISTED HAZARDOUS AIR POLLUTANTS: 40 C.F.R. 63.70-81 and Table I are adopted by reference.

TABLE I

FEDERAL LIST OF HAZARDOUS AIR POLLUTANTS

A. All of the following are federally listed hazardous air pollutants:

CAS No.	<u>Chemical Name</u>	CAS No.	<u>Chemical Name</u>
75-07-0	Acetaldehyde	67-66-3	Chloroform
60-35-5	Acetamide	107-30-2	Chloromethyl methyl ether
75-05-8	Acetonitrile	126-99-8	Chloroprene
98-86-2	Acetophenone	1319-77-3	Cresols/Cresylic acid (isomers
53-96-3	2-Acetylaminofluorene		and mixture)
107-02-8	Acrolein	95-48-7	o-Cresol
79-06-1	Acrylamide	108-39-4	m-Cresol
79-10-7	Acrylic acid	106-44-5	p-Cresol
107-13-1	Acrylonitrile	98-82-8	Cumene
107-05-1	Allyl chloride	94-75-7	2,4-D, salts and esters
92-67-1	4-Aminobiphenyl	3547-04-4	DDE
62-53-3	Aniline	334-88-3	Diazomethane
90-04-0	o-Anisidine	132-64-9	Dibenzofurans
1332-21-4		96-12-8	1,2-Dibromo-3-chloropropane
71-43-2	Benzene (including benzene	84-74-2	Dibutylphthalate
	from gasoline)	106-46-7	1,4-Dichlorobenzene(p)
92-87-5	Benzidine	91-94-1	3,3-Dichlorobenzidene
98-07-7	Benzotrichloride	111-44-4	Dichloroethyl ether
100-44-7	Benzyl chloride		(Bis(2-chloroethyl)ether)
92-52-4	Biphenyl	542-75-6	1,3-Dichloropropene
117-81-7	Bis(2-ethylhexyl)phthalate	62-73-7	Dichlorvos
	(DEHP)	111-42-2	Diethanolamine
542-88-1	Bis(chloromethyl)ether	121-69-7	N,N-Diethyl aniline
75-25-2	Bromoform		(N,N-Dimethylaniline)
106-99-0	1,3-Butadiene	64-67-5	Diethyl sulfate
156-62-7	Calcium cyanamide	119-90-4	3,3-Dimethoxybenzidine
133-06-2	Captan	60-11-7	Dimethyl aminoazobenzene
63-25-2	Carbaryl	119-93-7	3,3-Dimethyl benzidine
75-15-0	Carbon disulfide	79-44-7	Dimethyl carbamoyl chloride
56-23-5	Carbon tetrachloride	68-12-2	Dimethyl formamide
463-58-1	Carbonyl sulfide	57-14-7	1,1-Dimethyl hydrazine
120-80-9	Catechol	131-11-3	Dimethyl phthalate
133-90-4	Chloramben	77-78-1	Dimethyl sulfate
57-74-9	Chlordane	534-52-1	4,6-Dinitro-o-cresol, and salts
7782-50-5	Chlorine	51-28-5	2,4-Dinitrophenol
79-11-8	Chloroacetic acid	121-14-2	2,4-Dinitrotoluene
532-27-4	2-Chloroacetophenone	123-91-1	1,4-Dioxane
108-90-7	Chlorobenzene		(1,4-Diethyleneoxide)
510-15-6	Chlorobenzilate	122-66-7	1,2-Diphenylhydrazine

CAS No.	<u>Chemical Name</u>	CAS No.	<u>Chemical Name</u>
106-89-8	Epichlorohydrin	74-88-4	Methyl iodide (Iodomethane)
	(1-Chloro-2,3-epoxypropane)	108-10-1	Methyl isobutyl ketone
106-88-7	1,2-Epoxybutane		(Hexone)
140-88-5	Ethyl acrylate	624-83-9	Methyl isocyanate
100-41-4	Ethyl benzene	80-62-6	Methyl methacrylate
51-79-6	Ethyl carbamate (Urethane)	1634-04-4	Methyl tert butyl ether
75-00-3	Ethyl chloride (Chloroethane)	101-14-4	4,4-Methylene
106-93-4	Ethylene dibromide		bis(2-chloroaniline)
	(Dibromoethane)	75-09-2	Methylene chloride
107-06-2	Ethylene dichloride		(Dichloromethane)
	(1,2-Dichloroethane)	101-68-8	Methylene diphenyl
107-21-1	Ethylene glycol		diisocyanate (MDI)
151-56-4	Ethylene imine (Aziridine)	101-77-9	4,4-Methylenedianiline
75-21-8	Ethylene oxide	91-20-3	Naphthalene
96-45-7	Ethylene thiourea	98-95-3	Nitrobenzene
75-34-3	Ethylidene dichloride	92-93-3	4-Nitrobiphenyl
	(1,1-Dichloroethane)	100-02-7	4-Nitrophenol
50-00-0	Formaldehyde	79-46-9	2-Nitropropane
76-44-8	Heptachlor	684-93-5	N-Nitroso-N-methylurea
118-74-1	Hexachlorobenzene	62-75-9	N-Nitrosodimethylamine
87-68-3	Hexachlorobutadiene	59-89-2	N-Nitrosomorpholine
77-47-4	Hexachlorocyclopentadiene	56-38-2	Parathion
67-72-1	Hexachloroethane	82-68-8	Pentachloronitrobenzene
822-06-0	Hexamethylene-		(Quintobenzene)
	1,6-diisocyanate	87-86-5	Pentachlorophenol
680-31-9	Hexamethylphosphoramide	108-95-2	Phenol
110-54-3	n-Hexane	106-50-3	p-Phenylenediamine
302-01-2	Hydrazine	75-44-5	Phosgene
7647-01-0	Hydrochloric acid	7803-51-2	Phosphine
7664-39-3	Hydrogen fluoride (Hydrofluoric	7723-14-0	Phosphorus
	acid)	85-44-9	Phthalic anhydride
123-31-9	Hydroquinone	1336-36-3	Polychlorinated biphenyls
78-59-1	Isophorone		(Aroclors)
58-89-9	Lindane (all isomers)	1120-71-4	1,3-Propane sultone
108-31-6	Maleic anhydride	57-57-8	beta-Propiolactone
67-56-1	Methanol	123-38-6	Propionaldehyde
72-43-5	Methoxychlor	114-26-1	Propoxur (Baygon)
74-83-9	Methyl bromide	78-87-5	Propylene dichloride
74.07.0	(Bromomethane)	75 5 / 0	(1,2-Dichloropropane)
74-87-3	Methyl chloride (Chloro-	75-56-9	Propylene oxide
74 55 (methane)	75-55-8	1,2-Propylenimine(2-Methyl
71-55-6	Methyl chloroform	04 00 5	aziridine)
70.00.0	(1,1,1-Trichloroethane)	91-22-5	Quinoline
78-93-3	Methyl ethyl ketone	106-51-4	Quinone
(0.24.4	(2-Butanone)	100-42-5	Styrene
60-34-4	Methyl hydrazine	96-09-3	Styrene oxide

CAS No.	<u>Chemical Name</u>	CAS No.	Chemical Name
1746-01-6		75-35-4	Vinylidene chloride
70.04.5	dibenzo-p-dioxin	4000 00 7	(1,1-Dichloroethylene)
79-34-5	1,1,2,2-Tetrachloroethane	1330-20-7	Xylenes (isomers and mixture)
127-18-4	Tetrachloroethylene	95-47-6	o-Xylenes
	(Perchloroethylene)	108-38-3	m-Xylenes
7550-45-0	Titanium tetrachloride	106-42-3	p-Xylenes
108-88-3	Toluene	0	Antimony Compounds
95-80-7	2,4-Toluene diamine	0	Arsenic Compounds (inorganic
584-84-9	2,4-Toluene diisocyanate		including arsine)
95-53-4	o-Toluidine	0	Beryllium Compounds
8001-35-2	Toxaphene (chlorinated	0	Cadmium Compounds
	camphene)	0	Chromium Compounds
120-82-1	1,2,4-Trichlorobenzene	0	Cobalt Compounds
79-00-5	1,1,2-Trichloroethane	0	Coke Oven Emissions
79-01-6	Trichloroethylene	0	Cyanide Compounds ^[1]
95-95-4	2,4,5-Trichlorophenol	0	Glycol ethers ^[2]
88-06-2	2,4,6-Trichlorophenol	0	Lead Compounds
121-44-8	Triethylamine	0	Manganese Compounds
1582-09-8	Trifluralin	0	Mercury Compounds
540-84-1	2,2,4-Trimethylpentane	0	Fine mineral fibers ^[3]
108-05-4	Vinyl acetate	0	Nickel Compounds
593-60-2	Vinyl bromide	0	Polycyclic Organic Matter ^[4]
75-01-4	Vinyl chloride	0	Radionuclides (including
		•	radon) ^[5]
		0	Selenium Compounds
		•	Coloniani Compounds

- **B.** The following applies for all listings above which contain the word "compounds" or are glycol ethers: unless otherwise specified, these listings are defined as including any unique chemical substance that contains the named chemical (i.e., antimony, arsenic, etc.) as part of that chemical's infrastructure.
- [1] X'CN where X = H' or any other group where a formal dissociation may occur (e.g. KCN or $Ca(CN)_2$).
- ^[2] a. Includes mono- and di- ethers of ethylene glycol, diethylene glycol, and triethylene glycol $R-(OCH_2CH_2)_n-OR'$ where:

n = 1, 2, or 3;

R = alkyl C7 or less; or

R = phenyl or alkyl substituted phenyl;

R' = H or alkyl C7 or less; or

OR' consisting of carboxylic acid ester, sulfate, phosphate, nitrate, or sulfonate.

- b. Glycol ethers does not include ethylene glycol monobutyl ether (EGBE, 2-Butoxyethanol) (CAS No. 111-76-2).
- Includes mineral fiber emissions from facilities manufacturing or processing glass, rock, or slag fibers (or other mineral derived fibers) of average diameter one micrometer or less.
- Includes organic compounds which have more than one benzene ring and which have a boiling point greater than or equal to 212°F (100°C). (Limited to, or refers to, products from incomplete combustion of organic compounds and pyrolysis processes.)
- ^[5] A type of atom which spontaneously undergoes radioactive decay.